

AMENDMENTS TO THE CLAIMS

1-14. (Cancelled).

15. (Previously presented) A video editing system, comprising:

a random access computer readable medium for storing video information in one or more data files in a computer file system;

a display;

a standard alphanumeric keyboard;

computing apparatus operative in response to user input to perform editing operations on the video information, and operative in response to user input to display video information from the one or more data files in a source video window in the display, and operative in response to user input to display results of the editing operations on the video information in an edited program window on the display, and operative in response to a signal from a key on the standard alphanumeric keyboard to select one of the source video window and edited video window for display, and operative in response to signals from a set of three keys located right next to each other on one horizontal row in the standard alphanumeric keyboard to control shuttling of playback of the video information from the one or more data files in the selected window at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

the second key is right between the first and third keys,

a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed the is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused.

16. (Previously presented) The video editing system of claim 15, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the source.

17. (Previously presented) The video editing system of claim 16, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

18. (Previously presented) The video editing system of claim 17, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

19. (Previously presented) The video editing system of claim 15, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a

QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

20. (Previously presented) The video editing system of claim 19, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

21. (Previously presented) A computer system for playing motion video, comprising:

- a random access computer readable medium for storing video information in one or more data files in a computer file system;
- a display;
- a standard alphanumeric keyboard; and
- computing apparatus operative in response to signals from a set of three keys located right next to each other on one horizontal row in the standard alphanumeric keyboard to control shuttling of playback of the video information from the one or more data files on the display at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:
 - the second key is right between the first and third keys,
 - a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,
 - a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed the is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused.

22. (Previously presented) The computer system of claim 21, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the video information.

23. (Previously presented) The computer system of claim 22, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

24. (Previously presented) The computer system of claim 23, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

25. (Previously presented) The computer system of claim 21, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard

layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

26. (Previously presented) The computer system of claim 25, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

27. (Previously presented) A video editing system, comprising:

- a random access computer readable medium for storing video information in one or more data files in a computer file system;

- a display;

- a standard alphanumeric keyboard; and

- computing apparatus operative in response to user input to perform editing operations on the video information, and operative in response to user input to display video information from the one or more data files on the display, and operative in response to signals from a set of three keys located right next to each other on one horizontal row in the standard alphanumeric keyboard to control shuttling of playback of the video information from the one or more data files on the display at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

- the second key is right between the first and third keys,

- a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

- a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward

shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the third key or after the first or second actuations of the third key causes the video material to be paused.

28. (Previously presented) The video editing system of claim 27, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the video information.

29. (Previously presented) The video editing system of claim 28, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

30. (Previously presented) The video editing system of claim 29, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

31. (Previously presented) The video editing system of claim 27, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

32. (Previously presented) The video editing system of claim 31, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

33. (Previously presented) A computer program product for editing video information on a computer having a standard alphanumeric keyboard, comprising:

a computer readable medium for storing computer program code executable by the computer, wherein the computer program code comprises:

editing code that when executed is responsive to user input to perform editing operations on video information in one or more data files accessible by the computer;

display code that when executed is responsive to user input to display the video information from the one or more data files on a display accessible by the computer; and

control code that when executed is responsive to signals from a set of three keys located right next to each other on one horizontal row in the standard alphanumeric keyboard to control shuttling of playback of the video information from the one or more data files on the display at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

the second key is right between the first and third keys,

a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused.

34. (Previously presented) The computer program product of claim 33, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the video information.

35. (Previously presented) The computer program product of claim 34, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

36. (Previously presented) The computer program product of claim 35, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key

also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

37. (Previously presented) The computer program product of claim 33, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

38. (Previously presented) The computer program product of claim 37, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

39. (Previously presented) A computer program product for playing video information on a computer having a standard alphanumeric keyboard, comprising:

- a computer readable medium for storing computer program code executable by a computer, wherein the computer program code includes:

- display code that when executed is responsive to user input to display video information, from one or more data files accessible by the computer, on a display accessible by the computer; and

- control code that when executed is responsive to signals from a set of three keys located right next to each other on one horizontal row in the standard alphanumeric keyboard to control shuttling of playback of the video information from the one or more data files at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

- the second key is right between the first and third keys,

a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused.

40. (Previously presented) The computer program product of claim 39, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the video information.

41. (Previously presented) The computer program product of claim 40, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

42. (Previously presented) The computer program product of claim 41, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

43. (Previously presented) The computer program product of claim 39, wherein the standard alphanumeric keyboard has 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout.

44. (Previously presented) The computer program product of claim 43, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

45. (Previously presented) An alphanumeric keyboard for use with a computerized video editing system operative in response to signals from a set of three keys located right next to each other on one horizontal row in the alphanumeric keyboard to control shuttling of playback of video information, from one or more data files stored on a random access computer readable medium in a computer file system, on a display at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

the second key is right between the first and third keys,

a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward

shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed the is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused, the alphanumeric keyboard comprising:

36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to an "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout, wherein the second key is between the first and third keys, wherein the third key also bears a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function.

46. (Previously presented) The alphanumeric keyboard of claim 45, further comprising keys containing typographical symbols, wherein the computerized video editing system further is operative in response to signals from a set of four adjacent keys from the standard alphanumeric keyboard to control trimming of a selected transition in the video information, such that a first of the four keys is for trimming a plurality of frames in a reverse direction, a second of the four keys is for trimming one frame in a reverse direction, a third of the four keys is for trimming one frame in a forward direction, a

fourth of the four keys is for trimming a plurality of frames in a forward direction, wherein the first key is a key that corresponds to an "M" key in a QWERTY keyboard layout, the second key is a key that corresponds to a "<" key in a QWERTY keyboard layout, the third key is a key that corresponds to a ">" key in a QWERTY keyboard layout, and the fourth key is a key that corresponds to a "/" key in a QWERTY keyboard layout, and wherein the first key also bears a label indicative of a function for reverse trimming of a plurality of frames, wherein the second key also bears a label indicative of a function for reverse trimming of one frame, wherein the third key also bears a label indicative of a function for forward trimming of one frame, and wherein the fourth key also bears a label indicative of a function for forward trimming of a plurality of frames.

47. (Previously presented) The alphanumeric keyboard of claim 46, wherein the computerized video editing system further is operative in response to signals from a set of three adjacent keys from the standard alphanumeric keyboard to select a mode of a transition, such that a first of the three keys selects trimming of a clip prior the transition, a second of the three keys selects trimming of clips both before and after the transition, and a third of the three keys selects trimming of a clip after the transition, wherein the first key also bears a label indicative of a function for trimming of a clip prior to the transition, wherein the second key also bears a label indicative of a function for trimming of clips both before and after the transition, wherein the third key also bears a label indicative of a function for trimming of a clip after the transition.

48. (Previously presented) An alphanumeric keyboard for use with a computerized video editing system, comprising:

36 alphanumeric keys and additional keys with typographical symbols disposed in a standard keyboard layout, wherein a set of three keys located right next to each other on one horizontal row of keys includes a first key on the user's left bearing a label indicative of a reverse shuttling function, a second, central key bearing a label indicative of a pause function and a third key on the user's right bearing a label indicative of a forward shuttling function, wherein the first of the three keys is an "L" key in a QWERTY

keyboard layout, wherein the second of the three keys is a "K" key in a QWERTY keyboard layout and the third of the three keys is a "J" key in a QWERTY keyboard layout.

49. (Previously presented) The alphanumeric keyboard of claim 48, wherein a set of four adjacent keys includes a first key bearing a label indicative of a function for reverse trimming of a plurality of frames, a second key bearing a label indicative of a function for reverse trimming of one frame, a third key bearing a label indicative of a function for forward trimming of one frame, and a fourth key bearing a label indicative of a function for forward trimming of a plurality of frames.

50. (Previously presented) The alphanumeric keyboard of claim 49, wherein a set of three adjacent keys includes a first key bearing a label indicative of a function for trimming of a clip prior to the transition, a second key bearing a label indicative of a function for trimming of clips both before and after the transition, and a third key bearing a label indicative of a function for trimming of a clip after the transition.

51. (Previously presented) A video editing system, comprising:

- a random access computer readable medium for storing video information in one or more data files in a computer file system;

- a display;

- a standard alphanumeric keyboard;

- computing apparatus operative in response to user input to perform editing operations on the video information, and operative in response to user input to display video information from the one or more data files on the display, and operative in response to signals from a set of four adjacent keys from the standard alphanumeric keyboard to control trimming of a selected transition in the video information, such that

- a single actuation of a first of the four keys causes a plurality of images to be trimmed in a reverse direction,

a single actuation of a second of the four keys causes one image to be trimmed in a reverse direction,

a single actuation of a third of the four keys causes one image to be trimmed in a forward direction, and

a single actuation of a fourth of the four keys causes a plurality of images to be trimmed in a forward direction.

52. (Previously presented) The video editing system of claim 51, wherein the first key is a key that corresponds to an "M" key in a QWERTY keyboard layout, the second key is a key that corresponds to a "<" key in a QWERTY keyboard layout, the third key is a key that corresponds to a ">" key in a QWERTY keyboard layout, and the fourth key is a key that corresponds to a "/" key in a QWERTY keyboard layout.

53. (Previously presented) The video editing system of claim 52, wherein the first key also bears a label indicative of a function for reverse trimming of a plurality of frames, wherein the second key also bears a label indicative of a function for reverse trimming of one frame, wherein the third key also bears a label indicative of a function for forward trimming of one frame, and wherein the fourth key also bears a label indicative of a function for forward trimming of a plurality of frames.

54. (Previously presented) The video editing system of claim 52, wherein the computing apparatus further is operative in response to signals from a set of three adjacent keys from the standard alphanumeric keyboard to select a mode of a transition, such that a first of the three keys selects trimming of a clip prior the transition, a second of the three keys selects trimming of clips both before and after the transition, and a third of the three keys selects trimming of a clip after the transition.

55. (Previously presented) The video editing system of claim 51, wherein the computing apparatus further is operative in response to signals from a set of three adjacent keys from the standard alphanumeric keyboard to select a mode of a transition, such that a first of

the three keys selects trimming of a clip prior the transition, a second of the three keys selects trimming of clips both before and after the transition, and a third of the three keys selects trimming of a clip after the transition.

56. (Previously presented) The video editing system of claim 51, wherein the computing apparatus further is operative in response to signals from a set of four adjacent keys from the standard alphanumeric keyboard to control trimming of a selected transition in the video information, such that a first of the four keys is for trimming a plurality of frames in a reverse direction, a second of the four keys is for trimming one frame in a reverse direction, a third of the four keys is for trimming one frame in a forward direction, a fourth of the four keys is for trimming a plurality of frames in a forward direction.

57. (Previously presented) The video editing system of claim 56, wherein the first key is a key that corresponds to an "M" key in a QWERTY keyboard layout, the second key is a key that corresponds to a "<" key in a QWERTY keyboard layout, the third key is a key that corresponds to a ">" key in a QWERTY keyboard layout, and the fourth key is a key that corresponds to a "/" key in a QWERTY keyboard layout.

58. (Previously presented) The video editing system of claim 57, wherein the first key also bears a label indicative of a function for reverse trimming of a plurality of frames, wherein the second key also bears a label indicative of a function for reverse trimming of one frame, wherein the third key also bears a label indicative of a function for forward trimming of one frame, and wherein the fourth key also bears a label indicative of a function for forward trimming of a plurality of frames.

59. (Previously presented) The video editing system of claim 57, wherein the computing apparatus further is operative in response to signals from a set of three adjacent keys from the standard alphanumeric keyboard to select a mode of a transition, such that a first of the three keys selects trimming of a clip prior the transition, a second of the three keys

selects trimming of clips both before and after the transition, and a third of the three keys selects trimming of a clip after the transition.

60. (Previously presented) The video editing system of claim 59, wherein the first key also bears a label indicative of a function for trimming of a clip prior to the transition, wherein the second key also bears a label indicative of a function for trimming of clips both before and after the transition, wherein the third key also bears a label indicative of a function for trimming of a clip after the transition.

61. (Previously presented) The video editing system of claim 56, wherein the computing apparatus further is operative in response to signals from a set of three adjacent keys from the standard alphanumeric keyboard to select a mode of a transition, such that a first of the three keys selects trimming of a clip prior the transition, a second of the three keys selects trimming of clips both before and after the transition, and a third of the three keys selects trimming of a clip after the transition.

62. (Previously presented) The video editing system of claim 61, wherein the first key also bears a label indicative of a function for trimming of a clip prior to the transition, wherein the second key also bears a label indicative of a function for trimming of clips both before and after the transition, wherein the third key also bears a label indicative of a function for trimming of a clip after the transition.

63. (Currently amended) A computer system for playing motion video comprising computing apparatus operative in response to signals from a set of three adjacent keys ~~from~~ located right next to each other on one horizontal row in a standard alphanumeric keyboard to control shuttling of playback of video information, stored in one or more data files on a random access computer readable medium in a computer file system, on a display at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

the second key is right between the first and third keys,

a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed the is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused.

64. (Previously presented) The computer system of claim 63, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the video information.

65. (Previously presented) A video editing system comprising computing apparatus operative in response to user input to perform editing operations on video information, stored in one or more data files on a random access computer readable medium in a computer file system, and operative in response to user input to display the video information on a display, and operative in response to signals from a set of three keys located right next to each other on one horizontal row in a standard alphanumeric

keyboard to control shuttling of playback of the video information on the display at a shuttle speed and in a shuttle direction, such that a first of the three keys is for forward shuttling, a second of the three keys is for pausing, a third of the three keys is for reverse shuttling, and wherein:

the second key is right between the first and third keys,

a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed,

a second actuation of the first key, after the first actuation of the first key and while images of the video material are presented to the user at a first forward shuttle speed, causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed,

a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed,

a second actuation of the third key, after the first actuation of the third key and while images of the video material are presented to the user at a first reverse shuttle speed, causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed, and

a first actuation of the second key after the first or second actuations of the first key or after the first or second actuations of the third key causes the video material to be paused.

66. (Previously presented) The video editing system of claim 65, wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the video information.

67-69. (Cancelled).